

MSDS - Manganese Sulfate

Issued June 3, 2008

Section 1. Product Information

Product Name/Trade Name: Manganese Sulfate Monohydrate Synonym: Sulfuric Acid, Manganese salt monohydrate, Manganous Sulphate Formula: MnSO₄H₂O, MnSO₄ Chemical Name: Manganese Sulfate Monohydrate Chemical FormulaMnSO₄H₂O CAS No.: 10034-96-5 (monohydrate) 7785-87-7 (anhydrous) EINECS (Ec) No: 232-089-9

Distributed by Pestell Minerals & Ingredients, New Hamburg, ON Canada 24 Hour Emergency Telephone (Canutec): 613-996-6666

Section 2. Hazards Ingredients

Ingredient: Manganese Sulfate Monohydrate 98-100% by Weight

Section 3. Physical Data

Physical State: Solid Appearance: Slightly pink powder Odor: Odorless Specific Gravity: 2.95 pH Value: 5.0 - 7.0 Melting Point: 200°C Boiling Point: 850°C Decomposition: 200°C Liquid Density: N/A Vapor Pressure: N/A Vapor Density: N/A Evaporation Rate: N/A Solubility: Easily soluble in water, insoluble in ethanol

Section 4. Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures Incompatibility (Materials to Avoid): Strong oxidizing agents, strong acids, aluminum and magnesium

Conditions to Avoid: Incompatible materials, exposure to moist air or water, excessive heat **Hazardous Decomposition Products:** Carbon dioxide, sulfur oxides, oxides of manganese **Hazardous Polymerization:** Will not occur

Section 5. Hazardous Identification

Overview: Harmful if swallowed or inhaled. Affects lungs, central nervous system, blood and kidneys. May cause irritation to skin, eyes and respiratory tract.

Potential Acute Health Effects

Eyes: May cause mild eye irritation

Skin: May cause skin irritation. Low hazard for usual industrial handling.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Inhalation: Harmful if inhaled. May cause respiratory tract irritation.

Potential Chronic Health Effects

Chronic manganese poisoning can result from excessive inhalation and ingestion exposure and involves impairment of the central nervous system. Kidney effects, blood changes and manganese psychosis also may occur as a result of chronic exposure. Chronic inhalation exposure can cause lung damage. Please refer to **Section 12: Toxicological Information** of this MSDS to get more details about the potential chronic health effects.

Section 6. First Aid

Eyes: Flush eyes with plenty of water for at least 15 minutes. Seek medical advice if effects persist. **Skin:** Flush affected area with plenty of water and mild detergent for several minutes. Remove contaminated clothing and wash before re-use. Seek medical advice if effects persist.

Ingestion: If victim is conscious and alert, give 2-4 cupful of milk or water. Never give anything by mouth to an unconscious person. Seek medical attention.

Inhalation: Remove victim to fresh air. Employ artificial respiration if indicated. Seek medical attention.

Section 7. Fire Fighting Measures

Flash Point: N/A

Explosive Limit: N/A

Autoignition Temperature: N/A

Fire/Explosion: Not considered to be a fire and explosion hazard

Extinguishing Medium: Water fog or other medium appropriate to surrounding fire conditions.

Fire Fighting Instructions

Use suitable protective equipment for surrounding fire. The use of fire extinguishers of the chlorinated hydrocarbon type is not recommended, as toxic products will probably be produced by the decomposition of the extinguishing medium when it come into contact with hot manganese compounds.

Section 8. Spills and Disposals

Don't touch or walk through this product. Stop leak if safe to do so. Prevent entry into waterways, drains, confined areas. Prevent dust cloud. Use clean non-sparking tools to collect material and place it into loosely covered plastic containers for later disposal.

Section 9. Handling and Storage

Handling: Wash hands before eating. Use with adequate ventilation. Avoid breathing dust. Avoid contacting skin, eyes and clothing. Avoid prolonged or repeated exposure.

Storage: Keep in a tightly closed container and store in a cool, dry, well ventilated place. Protect against physical damage. Isolate from all incompatible substances.

Section 10. Disposal Suggestions

Dispose of in accordance with all applicable local, state and federal regulations at an approved waste disposal facility.

Section 11. Exposure Controls & Personal Protection

Exposure Limits OSHA PEL: 5mg/CBM Ceiling for manganese compounds as Mn ACGIH TLV: 0.2 mg/CBM (TWA) for manganese, elemental and inorganic compounds as Mn. Engineering Controls Use adequate exhaust ventilation to keep airborne concentrations below the allowable exposure limit. Personal Protective Equipment Eyes: Wear appropriate protective eyeglasses or chemical safety goggles Skin: Wear appropriate protective gloves Respiratory System: Approved or certified respirators Other Protective Equipments: Overalls or similar protective apparel, clean up facilities. Don't eat, drink or smoke in work areas. Wash hands thoroughly after handling this material.

Section 12. Toxicological Information

Toxicity to Animals: LD50/LC50, N/A. Oral (Rat) 2150mg/kg. Does not belong to toxic substances. **Chronic Effects on Humans**

Overview: The substance is toxic to lungs, central nervous system (CNS), liver and kidney. Chronic manganese poisoning can result from excessive inhalation and ingestion exposure and involves impairment of the central nervous system. Early symptoms include sluggishness, sleepiness and weakness in the legs. Advanced cases have shown fixed facial expression, emotional disturbances, spastic gait and falling. Illness closely resembles Parkinson's Disease. Kidney effects, blood changes and manganese psychosis also may occur as a result of long term exposure. Chronic inhalation exposure can cause lung damage.

Carcinogenicity: Not listed as a suspected/confirmed carcinogen by ACGIH, IARC, NTP, SHA.Mutagenicity: Possible for humans. Laboratory experiments have shown mutagenic effects.Reproductive Toxicity: N/A. May damage the reproductive system.

Teratogenicity: Teratogenic effects shown in lab animals.

Section 13. Ecological Information

Degradability: N/A

Aquatic Toxicity: This product is classified as an environmental factor by EC with phrases N R51-53. Environmental Precautions: Environmentally Hazardous Material. DO NOT DISCHARGE into drains and rivers.

Section 14. Transport and Label Information

Transport: Not redefined as hazardous material by IMDG Code and IATA

See UN suggestion if not redefined in your area

Label Hazard and Precautions

Warning! Harmful is swallowed or inhaled. May affect central nervous system, blood and respiratory system. Do not breathe dust. Use only with adequate ventilation. Wash thoroughly after handling. Wear work gloves, safety goggles, breathing mask and overalls when handling. Avoid release to environment. Keep our of reach of Children!.

Label First Aid: See Section 6: First Aid Measures of this MSDS

Disclaimer: The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. Pestell Minerals & Ingredients makes no warranty of any kind, expressed or implied, concerning the safe use of this material in your process or combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.